



Representative Image

## Catalog No. TH2261JDC

**Description: 30A 2P HD N5/12 600VDC FUSIBLE**

**UPC No 783164087680**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 2P HD N5/12 600VDC FUSIBLE

### Descriptors

|             |            |
|-------------|------------|
| Category    | Heavy Duty |
| GO Schedule | S1         |

### Specifications

|                    |                            |
|--------------------|----------------------------|
| Voltage            | 600 DC                     |
| Amperage           | 30 A                       |
| Poles              | 2                          |
| Wires              | 2                          |
| Fusing             | Fusible                    |
| Enclosure          | NEMA 5, 12 Drip/Dust-tight |
| Options            | None                       |
| Wire Range (Cu/Al) | 12-2                       |
| 125 Vdc            | 2 hp                       |
| 250 Vdc            | 5 hp                       |
| 600 Vdc            | 10 hp                      |
| GSA Compliance     | No                         |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |          |
|--------|----------|
| Height | 13.30 in |
| Depth  | 5.40 in  |
| Width  | 9.40 in  |
| Weight | 16 lb    |

**by ABB**